Page 1/8

1 Identification

- · Product identifier
- · Product Name: <u>Phthalates in Isooctane</u>
- · Part Number: C1001-09.4
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 SPEX CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

- *Repr. 1* H360 May damage fertility or the unborn child.
- Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: 2,2,4-trimethylpentane diisobutyl phthalate di-n-pentyl phthalate di-n-hexyl phthalate dicyclohexyl phthalate · Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 12/20/2017

Product Name: Phthalates in Isooctane

Reviewed on 12/20/2017



· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

	is components:	
	2,2,4-trimethylpentane	99.2%
	diisobutyl phthalate	0.1%
	di-n-pentyl phthalate	0.1%
	di-n-hexyl phthalate	0.1%
	dicyclohexyl phthalate	0.1%
117-81-7	bis(2-ethylhexyl) phthalate	0.1%
85-68-7		0.1%
84-74-2	dibutyl phthalate	0.1%
· Chemical	identification of the substance/preparation	
28553-12-	0 di-"isononyl" phthalate	0.1%

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Safety Data Sheet acc. to OSHA HCS

Printing date 12/20/2017

Product Name: Phthalates in Isooctane

Reviewed on 12/20/2017

	(Contd. of page 2)
Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.	
Do not flush with water or aqueous cleansing agents	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
540-84-1 2,2,4-trimethylpentane	230 ppm
117-81-7 bis(2-ethylhexyl) phthalate	10 mg/m ³
85-68-7 BBP	15 mg/m ³
84-74-2 dibutyl phthalate	15 mg/m ³
· PAC-2:	
540-84-1 2,2,4-trimethylpentane	830 ppm
117-81-7 bis(2-ethylhexyl) phthalate	1,000 mg/m ³
85-68-7 BBP	$77 mg/m^3$
84-74-2 dibutyl phthalate	$1,600 mg/m^3$
· PAC-3:	
540-84-1 2,2,4-trimethylpentane	5000* ppm
117-81-7 bis(2-ethylhexyl) phthalate	6,100 mg/m ³
85-68-7 BBP	460 mg/m ³
84-74-2 dibutyl phthalate	9300* mg/m ³

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

540-84-1 2,2,4-trimethylpentane

- PEL Long-term value: 2350 mg/m³, 500 ppm n-Octane only
- TLV Long-term value: 1401 mg/m³, 300 ppm

(Contd. on page 4)

US

Printing date 12/20/2017

Product Name: Phthalates in Isooctane

Reviewed on 12/20/2017

(Contd. of page 3)
117-81-7 bis(2-ethylhexyl) phthalate
PEL Long-term value: 5 mg/m ³
REL Short-term value: 10 mg/m ³
Long-term value: 5 mg/m ³
See Pocket Guide App. A
TLV Long-term value: 5 mg/m ³
84-74-2 dibutyl phthalate
PEL Long-term value: 5 mg/m ³
REL Long-term value: 5 mg/m ³
TLV Long-term value: 5 mg/m ³
• Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work. Avoid contact with the skin.
Avoid contact with the skin. Avoid contact with the eves and skin.
· Respiratory protection:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is
independent of circulating air.
Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and General Information Appearance: 	chemical properties	
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 99 °C (210.2 °F)	
· Flash point:	-12 °C (10.4 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	410 °C (770 °F)	
· Decomposition temperature:	Not applicable.	

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/20/2017

Reviewed on 12/20/2017

Product Name: Phthalates in Isooctane

		(Contd. of page 4
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	1.1 Vol %	
Upper:	6 Vol %	
· Vapor pressure at 20 °C (68 °F):	15 hPa (11.3 mm Hg)	
· Density	Not applicable.	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	99.2 %	
VOC content:	99.20 %	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Irritant
- · Carcinogenic categories

	ternational Agency for Research on Cancer)	
117-81-7	bis(2-ethylhexyl) phthalate	2B
85-68-7	BBP	3
· NTP (Nat	ional Toxicology Program)	
117-81-7	bis(2-ethylhexyl) phthalate	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of th	ne ingredients is listed.	

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

(Contd. on page 6)

ÚS -

Safety Data Sheet acc. to OSHA HCS

Printing date 12/20/2017

Product Name: Phthalates in Isooctane

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms
- · Results of PBT and vPvB assessment · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1262
· UN proper shipping name · DOT · ADR · IMDG, IATA	Octanes 1262 Octanes, ENVIRONMENTALLY HAZARDOUS OCTANES
• Transport hazard class(es) • DOT	
PRAMAZE LODO	
· Class · Label	3 Flammable liquids 3
- ADR	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards: · Special marking (ADR):	Symbol (fish and tree)
	(Contd. on page 7)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/20/2017

Reviewed on 12/20/2017

Product Name: Phthalates in Isooctane

	(Contd. of page
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F- E , S - E
· Stowage Category	В
• Transport in bulk according to Annex II of MARPOL73/78	and the IBC
Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
·IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1262 OCTANES, 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

Section 313 (Specific toxic chemical listings):	
117-81-7 bis(2-ethylhexyl) phthalate	
84-74-2 dibutyl phthalate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· TSCA new (21st Century Act) (Substances not listed)	
131-18-0 di-n-pentyl phthalate	
Proposition 65	
· Chemicals known to cause cancer:	
117-81-7 bis(2-ethylhexyl) phthalate	
28553-12-0 di-"isononyl" phthalate	
· Chemicals known to cause reproductive toxicity for females:	
84-75-3 di-n-hexyl phthalate	
84-74-2 dibutyl phthalate	
· Chemicals known to cause reproductive toxicity for males:	
84-75-3 di-n-hexyl phthalate	
117-81-7 bis(2-ethylhexyl) phthalate	
84-74-2 dibutyl phthalate	
· Chemicals known to cause developmental toxicity:	
117-81-7 bis(2-ethylhexyl) phthalate	
85-68-7 BBP	
84-74-2 dibutyl phthalate	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
540-84-1 2,2,4-trimethylpentane	11
117-81-7 bis(2-ethylhexyl) phthalate	B2
85-68-7 BBP	С
84-74-2 dibutyl phthalate	D
· TLV (Threshold Limit Value established by ACGIH)	
117-81-7 bis(2-ethylhexyl) phthalate	Ađ
NIOSH-Ca (National Institute for Occupational Safety and Health)	
117-81-7 bis(2-ethylhexyl) phthalate	

(Contd. on page 8) US Safety Data Sheet acc. to OSHA HCS

Printing date 12/20/2017

Product Name: Phthalates in Isooctane

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

- 2,2,4-trimethylpentane diisobutyl phthalate
- di-n-pentyl phthalate
- di-n-hexyl phthalate
- dicyclohexyl phthalate
- · Hazard statements
- H225 Highly flammable liquid and vapor.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

- Use explosion-proof electrical/ventilating/lighting/equipment.
- If swallowed: Immediately call a poison center/doctor.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC. 1-732-549-7144
- · Date of preparation / last revision 12/20/2017 / -
- · Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flam. Liq. 2: Flammable liquids Category 2 Skin Irrit. 2: Skin corrosion/irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1
- Carc. 2: Carcinogenicity Category 2 Repr. 1: Reproductive toxicity Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3 Asp. Tox. 1: Aspiration hazard Category 1

Reviewed on 12/20/2017

(Contd. of page 7)