

## 1 Identification

- **Product identifier**
- **Product Name:** Instrument Check Standard 4
- **Part Name:**  
CALMIX4-100  
CALMIX4-500
- **Application of the substance / the mixture** *Certified Reference Material*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Spex CertiPrep, LLC.*  
203 Norcross Ave, Metuchen,  
NJ 08840 USA  
732-549-7144  
*USMet-CRMSales@antylia.com*
- **Information department:** *product safety department*
- **Emergency telephone number:**  
*Emergency Phone Number (24 hours)*  
*CHEMTREC (800-424-9300)*  
*Outside US: 703-527-3887*

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

*Skin Irritation 2 H315 Causes skin irritation.*  
*Eye Irritation 2A H319 Causes serious eye irritation.*

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



GHS07

- **Signal word** *Warning*
- **Hazard statements**  
*H315 Causes skin irritation.*  
*H319 Causes serious eye irritation.*
- **Precautionary statements**  
*P264 Wash thoroughly after handling.*  
*P280 Wear protective gloves / eye protection / face protection.*  
*P302+P352 If on skin: Wash with plenty of water.*  
*P321 Specific treatment (see on this label).*  
*P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*P332+P313 If skin irritation occurs: Get medical advice/attention.*  
*P362+P364 Take off contaminated clothing and wash it before reuse.*  
*P337+P313 If eye irritation persists: Get medical advice/attention.*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 2  
Fire = 0  
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

**Product Name: Instrument Check Standard 4**

(Contd. of page 1)

· **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7697-37-2	nitric acid	2.0%
-----------	-------------	------

· **Chemical identification of the substance/preparation**

7732-18-5	water, distilled, conductivity or of similar purity	97.9849%
7440-09-7	potassium	0.005%
7429-90-5	aluminium	0.001%
7439-92-1	lead	0.001%
7439-96-5	manganese	0.001%
7440-02-0	nickel	0.001%
7440-20-2	scandium	0.001%
7440-23-5	sodium	0.001%
7440-38-2	arsenic	0.001%
7440-50-8	copper	0.001%
7440-66-6	zinc	0.001%
7723-14-0	phosphorus	0.001%
7440-39-3	barium	0.0001%

**4 First-aid measures**

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-I:**

7440-09-7	potassium	2.3 mg/m <sup>3</sup>
7439-92-1	lead	0.15 mg/m <sup>3</sup>
7439-96-5	manganese	3 mg/m <sup>3</sup>
7440-02-0	nickel	4.5 mg/m <sup>3</sup>
7440-20-2	scandium	30 mg/m <sup>3</sup>
7440-23-5	sodium	13 mg/m <sup>3</sup>

(Contd. on page 3)

**Product Name: Instrument Check Standard 4**

(Contd. of page 2)

7440-38-2	arsenic	1.5 mg/m <sup>3</sup>
7440-50-8	copper	3 mg/m <sup>3</sup>
7440-66-6	zinc	6 mg/m <sup>3</sup>
7723-14-0	phosphorus	0.27 mg/m <sup>3</sup>
7440-39-3	barium	1.5 mg/m <sup>3</sup>
<b>· PAC-2:</b>		
7440-09-7	potassium	25 mg/m <sup>3</sup>
7439-92-1	lead	120 mg/m <sup>3</sup>
7439-96-5	manganese	5 mg/m <sup>3</sup>
7440-02-0	nickel	50 mg/m <sup>3</sup>
7440-20-2	scandium	330 mg/m <sup>3</sup>
7440-23-5	sodium	140 mg/m <sup>3</sup>
7440-38-2	arsenic	17 mg/m <sup>3</sup>
7440-50-8	copper	33 mg/m <sup>3</sup>
7440-66-6	zinc	21 mg/m <sup>3</sup>
7723-14-0	phosphorus	3 mg/m <sup>3</sup>
7440-39-3	barium	180 mg/m <sup>3</sup>
<b>· PAC-3:</b>		
7440-09-7	potassium	150 mg/m <sup>3</sup>
7439-92-1	lead	700 mg/m <sup>3</sup>
7439-96-5	manganese	1,800 mg/m <sup>3</sup>
7440-02-0	nickel	99 mg/m <sup>3</sup>
7440-20-2	scandium	2,000 mg/m <sup>3</sup>
7440-23-5	sodium	870 mg/m <sup>3</sup>
7440-38-2	arsenic	100 mg/m <sup>3</sup>
7440-50-8	copper	200 mg/m <sup>3</sup>
7440-66-6	zinc	120 mg/m <sup>3</sup>
7723-14-0	phosphorus	18 mg/m <sup>3</sup>
7440-39-3	barium	1,100 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.

(Contd. on page 4)

Product Name: Instrument Check Standard 4

(Contd. of page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid  
Color: According to product specification

· Odor: Characteristic

· Odour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.  
Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not applicable.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not applicable.  
Upper: Not applicable.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density at 20 °C (68 °F) 1.01049 g/cm<sup>3</sup> (8.43254 lbs/gal)

· Relative density Not applicable.

· Vapor density Not applicable.

· Evaporation rate Not applicable.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not applicable.

· Viscosity:

Dynamic: Not applicable.  
Kinematic: Not applicable.

· Solvent content:

Water: 98.0 %  
VOC content: 0.00 %

Solids content: 0.0 %

· Other information

No further relevant information available.

(Contd. on page 5)

Product Name: Instrument Check Standard 4

(Contd. of page 4)

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

7697-37-2 nitric acid

Inhalative	LC50/4 h	2.65 mg/l (ATE)
------------	----------	-----------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7439-92-1	lead	2B
7440-02-0	nickel	2B
7440-38-2	arsenic	1

· **NTP (National Toxicology Program)**

7439-92-1	lead	R
7440-02-0	nickel	R
7440-38-2	arsenic	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

7440-38-2	arsenic	
-----------	---------	--

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**



- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 6)

Product Name: Instrument Check Standard 4

(Contd. of page 5)

**14 Transport information**

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
· Transport hazard class(es) · DOT	
	
· Class · Label	8 Corrosive substances 8
· ADR, IMDG, IATA	
	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code · Segregation Code	Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION), 8, III

**15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.  
· Sara

· Section 313 (Specific toxic chemical listings):	
7697-37-2	nitric acid
7429-90-5	aluminium
7439-92-1	lead
7439-96-5	manganese

(Contd. on page 7)

**Product Name: Instrument Check Standard 4**

(Contd. of page 6)

7440-02-0	nickel	
7440-38-2	arsenic	
7440-50-8	copper	
7440-66-6	zinc	
7723-14-0	phosphorus	
7440-39-3	barium	

**· TSCA (Toxic Substances Control Act):**

7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
7440-09-7	potassium	ACTIVE
7429-90-5	aluminium	ACTIVE
7439-92-1	lead	ACTIVE
7439-96-5	manganese	ACTIVE
7440-02-0	nickel	ACTIVE
7440-20-2	scandium	ACTIVE
7440-23-5	sodium	ACTIVE
7440-38-2	arsenic	ACTIVE
7440-50-8	copper	ACTIVE
7440-66-6	zinc	ACTIVE
7723-14-0	phosphorus	ACTIVE
7440-39-3	barium	ACTIVE

**· Hazardous Air Pollutants**

7439-92-1	lead	
7439-96-5	manganese	
7723-14-0	phosphorus	

**· Proposition 65**

**· Chemicals known to cause cancer:**

7439-92-1	lead	
7440-02-0	nickel	
7440-38-2	arsenic	

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency)**

7439-92-1	lead	B2
7439-96-5	manganese	D
7440-38-2	arsenic	A
7440-50-8	copper	D
7440-66-6	zinc	D, I, II
7440-39-3	barium	D, CBD(inh), NL(oral)

**· TLV (Threshold Limit Value)**

7429-90-5	aluminium	A4
7439-92-1	lead	A3
7440-02-0	nickel	A5
7440-38-2	arsenic	A1
7440-39-3	barium	A4

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-02-0	nickel	
7440-38-2	arsenic	

**· GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Product Name: Instrument Check Standard 4

(Contd. of page 7)

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 09/13/2022 / -

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A