

Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/04/2024

Page 1/7

1 Identification

· Product identifier

- Product Name: <u>Multi-element Solution 4</u>
- Part Number: CLMS-4
- · Application of the substance / the mixture For Laboratory Use Only
- \cdot Uses advised against Not for Human or Animal Use
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Spex CertiPrep, LLC.
 203 Norcross Ave, Metuchen,

NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com

• Information department: product safety department • Emergency telephone number:

Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

- · Hazard statements
- H319 Causes serious eye irritation.
- · Precautionary statements
- *P264 Wash thoroughly after handling.*
- P280 Wear eye protection / face protection.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

Product Name: Multi-element Solution 4

Page 2/7

	(Contd. of page 1
· Dangerous components:	
7664-39-3 hydrofluoric acid	0.2%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	99.783%
7697-37-2 nitric acid	0.005%
7439-98-7 molybdenum	0.001%
7440-03-1 niobium	0.001%
7440-15-5 rhenium	0.001%
7440-21-3 silicon	0.001%
7440-25-7 tantalum	0.001%
7440-32-6 titanium	0.001%
7440-33-7 tungsten	0.001%
7440-42-8 Boron from Ammonium tetraborate tetrahydrate	0.001%
7440-56-4 germanium	0.001%
7440-67-7 zirconium	0.001%
7723-14-0 phosphorus	0.001%
7783-20-2 ammonium sulphate	0.001%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
7664-39-3	hydrofluoric acid	1.0 ppm
7697-37-2	nitric acid	0.16 ppm
7439-98-7	molybdenum	30 mg/m ³
7440-03-1	niobium	30 mg/m ³
7440-21-3	silicon	45 mg/m ³
7440-25-7	tantalum	10 mg/m ³
7440-32-6	titanium	30 mg/m ³
7440-33-7	tungsten	10 mg/m ³
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	1.9 mg/m ³
7440-56-4	germanium	3.2 mg/m ³
7440-67-7		10 mg/m ³
7723-14-0	phosphorus	0.27 mg/m ³
7783-20-2	ammonium sulphate	13 mg/m ³
	(Cont	d. on page 3)

Safety Data Sheet acc. to OSHA HCS

Page 3/7

Product Name: Multi-element Solution 4

		(Contd. of page 2
PAC-2:		
	hydrofluoric acid	24 ppm
7697-37-2	nitric acid	24 ppm
	molybdenum	330 mg/m
7440-03-1		330 mg/m
7440-21-3	silicon	100 mg/m
7440-25-7	tantalum	11 mg/m ³
7440-32-6	titanium	330 mg/m
7440-33-7	tungsten	330 mg/m
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	21 mg/m ³
7440-56-4	germanium	35 mg/m ³
7440-67-7	zirconium	83 mg/m ³
7723-14-0	phosphorus	3 mg/m ³
7783-20-2	ammonium sulphate	140 mg/m
PAC-3:		
7664-39-3	hydrofluoric acid	44 ppm
7697-37-2	nitric acid	92 ppm
7439-98-7	molybdenum	2,000 mg/m
7440-03-1	niobium	2,000 mg/m
7440-21-3	silicon	630 mg/m ³
7440-25-7	tantalum	64 mg/m ³
7440-32-6	titanium	2,000 mg/m
7440-33-7	tungsten	2,000 mg/m
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	130 mg/m ³
7440-56-4	germanium	170 mg/m ³
7440-67-7	zirconium	500 mg/m ³
7723-14-0	phosphorus	18 mg/m ³
5500.00.0	ammonium sulphate	840 mg/m ³

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Com	· Components with limit values that require monitoring at the workplace:	
	7664-39-3 hydrofluoric acid	
	Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid	
	Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F	
	Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI	
	(Contd. on page 4)	

– US –

Product Name: Multi-element Solution 4

Reviewed on 06/04/2024

	(Contd. of page 3)
· Ingredients with biological limit values:	
7664-39-3 hydrofluoric acid	
BEI 3 mg/g creatinine	
Medium: urine	
Time: prior to shift	
Parameter: Fluorides (background, nonspecific)	
10 mg/g creatinine	
Medium: urine	
Time: end of shift	
Parameter: Fluorides (background, nonspecific)	
• Additional information: The lists that were valid during the creation were used as basis.	
· Exposure controls	
· Personal protective equipment:	
· General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
· Respiratory protection: Not required.	

Safety Data Sheet

acc. to OSHA HCS

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties		
· General Information		
· Appearance: Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not applicable.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	



Product Name: Multi-element Solution 4

Page 5/7

		(Contd. of page 4)
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density	Not applicable.	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water	r): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	99.8 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

Safety Data Sheet

acc. to OSHA HCS

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-39-3 hydrofluoric acid

Oral | LD50 | 1,276 mg/kg (rat)

- · Primary irritant effect:
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

• Additional toxicological information:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
None of the ingredients is listed.		
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

The product shows the following dangers according to internally approved calculation methods for preparations:

Product Name: Multi-element Solution 4

 $\cdot \textit{Other adverse effects} \textit{ No further relevant information available}.$

Reviewed on 06/04/2024

(Contd. of page 5)

Page 6/7

13 Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	Not Regulated	

Safety Data Sheet acc. to OSHA HCS

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information a • Sara	vailable.
· Section 313 (Specific toxic chemical listings):	
7664-39-3 hydrofluoric acid	
7697-37-2 nitric acid	
7723-14-0 phosphorus	
7783-20-2 ammonium sulphate	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
7664-39-3 hydrofluoric acid	
7723-14-0 phosphorus	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
7440-42-8 Boron from Ammonium tetraborate tetrahydrate	I (oral)
• TLV (Threshold Limit Value)	· · ·
7439-98-7 molybdenum	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	(0, .1



Product Name: Multi-element Solution 4

· Hazard pictograms



· Signal word Warning

· Hazard statements

H319 Causes serious eye irritation.

- · Precautionary statements
- P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention. P337+P313
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Safety Data Sheet acc. to OSHA HCS

· Department issuing SDS: product safety department

- · Contact:
- Spex CertiPrep, LLC.
- 1-732-549-7144

· Date of preparation / last revision 06/04/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

US -

Reviewed on 06/04/2024

(Contd. of page 6)