Kit Components
Description
Set of Multi-element Solutions with Mercury
Multi-element Solution 1
Multi-element Solution 2
10 μg/mL Mercury
Multi-element Solution 3
Multi-element Solution 4
Nitric Acid Blank

Hydrochloric Acid Blank

Water Blank - ASTM Type I Water, 18 Megohm

CLBLK-HCL

CLBLK-H2O

Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

- · Product identifier
- · Product Name: Multi-element Solution 1
- · Part Number: CLMS-1
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

- · Hazard statements
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0Reactivity = 0



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 1

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- $\cdot \textit{PBT: Not applicable}.$
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	components:	
7697-37-2	nitric acid	5.0%
· Chemical	dentification of the substance/preparation	
7732-18-5	water, distilled, conductivity or of similar purity	94.983%
7429-91-6	dysprosium	0.001%
7439-91-0	lanthanum	0.001%
7439-94-3	lutetium	0.001%
7440-00-8	neodymium	0.001%
7440-10-0	praseodymium	0.001%
7440-19-9	Samarium from Samarium (III) oxide	0.001%
7440-20-2	scandium	0.001%
7440-27-9	terbium	0.001%
7440-29-1	Thorium from Thorium nitrate tetrahydrate	0.001%
7440-30-4	thulium	0.001%
7440-45-1	cerium	0.001%
7440-52-0	Erbium from Erbium(III) oxide	0.001%
7440-53-1	europium	0.001%
7440-54-2	gadolinium	0.001%
7440-60-0	holmium	0.001%
7440-64-4	ytterbium	0.001%
7440-65-5	yttrium	0.001%

4 First-aid measures

- $\cdot \textit{Description of first aid measures}$
- $\cdot \textbf{\textit{General information:}} \ \textit{Immediately remove any clothing soiled by the product.}$
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- $\cdot \textit{After eye contact: } \textit{Rinse opened eye for several minutes under running water. } \textit{Then consult a doctor.}$
- · After swallowing:
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 1

(Contd. of page 2)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7429-91-6 dysprosium	30 mg/m ³
7439-91-0 lanthanum	30 mg/m ³
7439-94-3 lutetium	30 mg/m ³
7440-00-8 neodymium	30 mg/m ³
7440-10-0 praseodymium	1.2 mg/m³
7440-19-9 Samarium from Samarium (III) oxide	30 mg/m^3
7440-20-2 scandium	30 mg/m ³
7440-27-9 terbium	1.2 mg/m³
7440-29-1 Thorium from Thorium nitrate tetrahydrate	30 mg/m^3
7440-30-4 thulium	30 mg/m³
7440-45-1 cerium	30 mg/m³
7440-53-1 europium	30 mg/m ³
7440-54-2 gadolinium	30 mg/m³
7440-60-0 holmium	12 mg/m ³
7440-65-5 yttrium	3 mg/m^3
• PAC-2:	[g,
7697-37-2 nitric acid	24 ppm
7429-91-6 dysprosium	330 mg/m ³
7439-91-0 lanthanum	330 mg/m ²
7439-94-3 lutetium	330 mg/m ²
7440-00-8 neodymium	330 mg/m ³
7440-10-0 praseodymium	13 mg/m^{-1}
7440-19-9 Samarium from Samarium (III) oxide	330 mg/m ²
7440-20-2 scandium	330 mg/m^{-1}
7440-27-9 terbium	13 mg/m ³
7440-29-1 Thorium from Thorium nitrate tetrahydrate	330 mg/m^2
7440-30-4 thulium	330 mg/m ²
7440-45-1 cerium	330 mg/m ³
7440-53-1 europium	330 mg/m ³
7440-54-2 gadolinium	330 mg/m ³
7440-60-0 holmium	130 mg/m ³
7440-65-5 yttrium	33 mg/m^3
l'	33 mg/m
• PAC-3:	102
7697-37-2 nitric acid	92 ppm
7429-91-6 dysprosium	2,000 mg/m³
7439-91-0 lanthanum	2,000 mg/m³
7439-94-3 lutetium	2,000 mg/m³
7440-00-8 neodymium	2,000 mg/m³ 79 mg/m³
7440-10-0 praseodymium 7440-19-9 Samarium from Samarium (III) oxide	79mg/m° $2,000 \text{mg/m}^{\circ}$
7440-19-9 Samarium from Samarium (III) oxide 7440-20-2 scandium	2,000 mg/m³ 2,000 mg/m³
7440-27-9 terbium 7440-27-9 terbium 7440-27-9 terbium from Thonium nituate tetrahydrate	79 mg/m³ 2,000 mg/m³
7440-29-1 Thorium from Thorium nitrate tetrahydrate	
7440-30-4 thulium 7440-45-1 cerium	2,000 mg/m³
	2,000 mg/m³
7440-53-1 europium	2,000 mg/m³
7440-54-2 gadolinium	2,000 mg/m³ 790 mg/m³
7440-60-0 holmium	/90 mg/m³ (Contd. on page 4



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 1

(Contd. of page 3)

7440-65-5 yttrium

200 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: CharacteristicOdour Threshold: Not applicable.

• pH-value at 20 °C (68 °F): <2

(Contd. on page 5)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 1

(Contd. of page 4)

	(Contd. of page 4
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F) · Relative density · Vapor density · Evaporation rate	1.02596 g/cm³ (8.56164 lbs/gal) Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Water: VOC content:	95.0 % 0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textbf{Incompatible materials:} \ No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International	Agency for	Research on	Cancer)
-----------------------	------------	-------------	---------

7440-29-1 Thorium from Thorium nitrate tetrahydrate

(Contd. on page 6)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 1

(Contd. of page 5)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transpor	t information
-------------	---------------

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es)	

- $\cdot DOT$



· Class	8 Corrosive substances
· Label	8

· ADR, IMDG, IATA



· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances

(Contd. on page 7)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 1

(Contd. of page 6)

· Hazard identification number (Kemler code):
 · EMS Number:
 · Segregation groups
 · (SGGI) Acids

Stowage Category
Stowage Code

Segregation Code SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR · Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

SW2 Clear of living quarters.

Maximum net quantity per outer packaging: 1000 ml

· IMDG
· Limited quantities (LQ) 5L

• Excepted quantities (EQ) Code: El

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID),

8, *III*

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labeling:

nitric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 1

(Contd. of page 7)

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 03/05/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Skin Corrosion IA: Skin corrosion/irritation – Category IA

Eye Damage 1: Serious eye damage/eye irritation - Category 1

us -

Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

· Product identifier

· Product Name: Multi-element Solution 2

· Part Number:

CLMS-2

CLMS-2N

- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 2

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- $\cdot \textit{Results of PBT and vPvB assessment}$
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
7697-37-2 nitric acid	5.0%
Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	94.971%
7429-90-5 aluminium	0.001%
7439-89-6 iron	0.001%
7439-92-1 lead	0.001%
7439-93-2 lithium	0.001%
7439-95-4 magnesium	0.001%
7439-96-5 manganese	0.001%
7440-02-0 nickel	0.001%
7440-09-7 potassium	0.001%
7440-17-7 rubidium	0.001%
7440-22-4 silver	0.001%
7440-23-5 sodium	0.001%
7440-24-6 strontium	0.001%
7440-28-0 thallium	0.001%
7440-38-2 arsenic	0.001%
7440-39-3 barium	0.001%
7440-41-7 Beryllium from Beryllium Acetate	0.001%
7440-43-9 cadmium	0.001%
7440-46-2 Cesium from Cesium nitrate	0.001%
7440-47-3 chromium	0.001%
7440-48-4 cobalt	0.001%
7440-50-8 copper	0.001%
7440-55-3 gallium	0.001%
7440-61-1 Uranium from Uranyl Nitrate Hexahydrate	0.001%
7440-62-2 vanadium	0.001%
7440-66-6 zinc	0.001%
7440-69-9 bismuth	0.001%
7440-70-2 calcium	0.001%
7440-74-6 indium	0.001%
7782-49-2 selenium	0.001%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 2

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

 $\cdot \textit{Environmental precautions:}$

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-89-6 iron	$3.2 mg/m^3$
7439-92-1 lead	0.15 mg/m^3
7439-93-2 lithium	3.3 mg/m ³
7439-95-4 magnesium	18 mg/m^3
7439-96-5 manganese	$3 mg/m^3$
7440-02-0 nickel	4.5 mg/m^3
7440-09-7 potassium	2.3 mg/m ³
7440-17-7 rubidium	3.9 mg/m³
7440-22-4 silver	0.3 mg/m³
7440-23-5 sodium	13 mg/m³
7440-24-6 strontium	30 mg/m^3
7440-28-0 thallium	0.06 mg/m^3
7440-38-2 arsenic	1.5 mg/m³
7440-39-3 barium	$1.5 mg/m^3$
7440-41-7 Beryllium from Beryllium Acetate	$0.0023 \ mg/m^3$
7440-43-9 cadmium	0.10 mg/m^3
7440-46-2 Cesium from Cesium nitrate	5.6 mg/m ³
7440-47-3 chromium	1.5 mg/m³
7440-48-4 cobalt	0.18 mg/m^3
7440-50-8 copper	3 mg/m ³
7440-55-3 gallium	30 mg/m³
7440-61-1 Uranium from Uranyl Nitrate Hexahydrate	0.6 mg/m³
7440-62-2 vanadium	3 mg/m ³
7440-66-6 zinc	6 mg/m^3
7440-69-9 bismuth	15 mg/m^3
7440-74-6 indium	0.3 mg/m ³
7782-49-2 selenium	0.6 mg/m^3
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-89-6 iron	35 mg/m^3
7439-92-1 lead	120 mg/m^3

(Contd. on page 4)



Reviewed on 03/05/2024 Printing date 03/05/2024

Product Name: Multi-element Solution 2

3439.95.3 magnatestam	7430-03-2		ontd. of page 3
3499-05 mangarese			200 mg/m ³
50 og/m 7440-9.77 politilism 27 og/m 7440-9.74 stiller 170 og/m 7440-9.75 stiller 170			
2449-97 potassism			
3440-27-2 abilition			
140-24-24 alter			-
140 mg/m² 140			
2440-24.0 Incentium			
1440-282 140			_
17 mg/m 180 mg/m			_
140-137 260 150			
1404-1-7 Revillant from Baryllint Acetate 0.025 mg/m 0.76 mg/m² 7440-4-5 continum 0.76 mg/m² 7440-4-5 continum 0.76 mg/m² 7440-4-7 chromium 1.77 mg/m² 7440-4-8 continum 1.77 mg/m² 7440-4-8 continum 1.77 mg/m² 7440-8-1 continum 1.77 mg/m² 7440-8-1 continum 1.77 mg/m² 7440-8-1 continum 1.77 mg/m² 7440-6-1 continum 1.78 mg/m² 7440-6-1 continum 1.78 mg/m² 1.79 mg/m²			
7440-452 Cesium from Cesium nitrate			
7440-422 Creium from Cesium nitrate			
77 mg/m² 77 mg/m²			
7440-84-8 cobalt			
7440-55-8 copper 33 mg/m² 7440-55-3 gallium 33 0 mg/m² 7440-55-1 Quantum from Uranyl Nitrate Hexahydrate 5 mg/m² 5 mg/m² 7440-66-1 Cinc 21 mg/m² 7440-66-2 cinc 21 mg/m² 7440-69-0 bismuth 170 mg/m² 7440-69-0 bismuth 170 mg/m² 7440-69-0 bismuth 170 mg/m² 7440-69-0 cinc 7440-69-0			
7440-51-7			-
3.8 mg/m² 7440-66-2 inc			
7440-66-6 inc			
7440-69-9 bismuth 170 mg/m² 7440-74-6 indium 3.3 mg/m² 782-49-2 selenium 6.6 mg/m² **PAC-3: *** 7697-37-2 nitric acid 92 ppm 7439-89-6 iron 150 mg/m² 7439-99-1 lead 700 mg/m² 7439-99-2 lithium 220 mg/m² 7439-99-3 mangaesium 1,200 mg/m² 7449-99-7 mickel 99 mg/m² 7440-02-0 nickel 99 mg/m² 7440-17-7 rabidium 260 mg/m² 7440-21-4 silver 99 mg/m² 7440-22-4 silver 99 mg/m² 7440-23-5 sodium 870 mg/m² 7440-24-6 silver 99 mg/m² 7440-25-1 sodium 20 mg/m² 7440-26-2 stentium 20 mg/m² 7440-27-3 sodium 1,100 mg/m² 7440-31-3 bariam 1,100 mg/m² 7440-32-3 sodium 4,7 mg/m² 7440-33-3			
7440-74-6 indium 3.3 mg/m² 7782-492-2 selenium 6.6 mg/m² PAC-3: ************************************			
7782-49-2 selenium 6.6 mg/m² PAC-3: 7697-37-2 nitric acid 92 ppm 7439-80-1 fron 150 mg/m² 749 mg/m² 1,200 mg/m² 749 mg/m² 749 mg/m² 749 mg/m² 749 mg/m² 99 mg/m² 749 mg/m² 740 mg/m² 74			
-PAC-3: 17697-37-2; nitric acid 92 ppm 7439-86 iron 150 mg/m² 7439-92-1; lead 700 mg/m² 7439-93-2; lithium 220 mg/m² 7439-95-4; magnesium 1,200 mg/m² 7440-02-0; nickel 99 mg/m² 7440-02-0; nickel 99 mg/m² 7440-02-1; nickel 99 mg/m² 7440-17-7; rubidium 260 mg/m² 7440-22-3; sidium 260 mg/m² 7440-23-3; sodium 870 mg/m² 7440-24-6; strontum 2,000 mg/m² 7440-23-5; sodium 870 mg/m² 7440-23-6; hallium 2,000 mg/m² 7440-38-2; arsenic 100 mg/m² 7440-38-3; barium 1,100 mg/m² 7440-41-7; Beryllium from Beryllium Acetate 100 mg/m² 7440-42-8; calmium 9.1 mg/m² 7440-43-2; chromium 99 mg/m² 7440-45-3; chromium 99 mg/m² 7440-46-4; Cesium ritrate 370 mg/m² 7440-50-8; opper 200 mg/m² 7440-50-8; opper 200 mg/m² 7440-66-6; inc 120 mg/m² 7440-66-6;			_
7697-37-2 nitric acid 92 ppm 7439-89-6 from 150 mg/m³ 7439-92-1 lead 700 mg/m³ 7439-93-2 lithium 220 mg/m³ 7439-95-4 magnesium 1,200 mg/m 7440-02-0 nickel 99 mg/m³ 7440-02-0 rokel 99 mg/m³ 7440-17-7 rubidium 260 mg/m³ 7440-17-7 rubidium 260 mg/m³ 7440-22-4 silver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m³ 7440-28-0 strontium 20 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-44-2 Cesium ritrate 370 mg/m³ 7440-45-2 Cesium from Cesium nitrate 370 mg/m³ 7440-65-2 vanadium 20 mg/m³ 7440-60-8 copper 200 mg/m³ 7440-66-6 jinc 120 mg/m³ 7440-66-6 jinc 120 mg/m³ 7440-66-6 jinc 120 mg/m³ 7440-66-7 kinc 190 mg/m³ 7440-66-9 visuath 90 mg/m³ <td></td> <td>Seteritum</td> <td>0.0 mg/m</td>		Seteritum	0.0 mg/m
7439-89-6 iron 150 mg/m² 7439-99-2 lead 700 mg/m² 7439-93-2 lithium 220 mg/m² 7439-93-4 magnesium 1,200 mg/m² 7439-96-5 manganese 1,800 mg/m² 7440-02-0 nickel 99 mg/m² 7440-17-7 rubidium 150 mg/m³ 7440-17-7 rubidium 260 mg/m³ 7440-22-4 sitver 990 mg/m³ 7440-23-5 sodium 870 mg/m² 7440-24-6 strontium 2.000 mg/m³ 7440-28-0 thallium 2 0 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-44-7 Beryllium from Beryllium Acetate 99 mg/m³ 7440-45-2 Cesium from Cesium nitrate 370 mg/m³ 7440-46-2 Cesium from Cesium nitrate 370 mg/m³ 7440-80-8 copper 200 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-66-6 inc 120 mg/m³ 7440-66-6 inc 120 mg/m³ 7440-66-6 inc 120 mg/m³ 7440-66-9 bismuth 90 mg/m³ 7440-69-9 centum 140 mg/m³ 90 mg			Log
7439-92-1 lead 700 mg/m² 7439-93-2 lithium 220 mg/m³ 7439-95-4 magnesium 1,200 mg/m³ 7440-02-0 nickel 99 mg/m³ 7440-02-0 nickel 99 mg/m³ 7440-17-7 rubidium 260 mg/m³ 7440-23-3 sodium 870 mg/m³ 7440-23-3 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m³ 7440-28-0 thallium 2,000 mg/m³ 7440-38-3 barium 1,100 mg/m³ 7440-43-7 berrillium from Beryllium Acetate 0,1 mg/m³ 7440-43-9 cadmium 4,7 mg/m³ 7440-44-7 berrommitrate 370 mg/m³ 7440-45-2 Cesium from Cesium nitrate 370 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-55-3 gallium 200 mg/m³ 7440-66-6 jinc 120 mg/m³ 7440-66-6 jinc 120 mg/m³ 7440-66-9 joinuth 99 mg/m³ 7440-69-9 joinuth			
7439-93-2 lithium 220 mg/m³ 7439-95-4 magnesium 1,200 mg/m³ 7439-96-5 manganese 1,800 mg/m³ 7440-02-0 nickel 99 mg/m³ 7440-077 potassium 150 mg/m³ 7440-177 rubidium 260 mg/m³ 7440-22-4 silver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-23-5 stromtium 2,000 mg/m³ 7440-28-0 thallium 20 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-39-3 beryllium from Beryllium Acetate 0,1 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0,1 mg/m³ 7440-42-2 Cesium from Cesium nitrate 370 mg/m³ 7440-43-3 chromium 99 mg/m³ 7440-44-4 cobper 200 mg/m³ 7440-45-0 copper 200 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-66-7 inidum 20 mg/m³			
7439-95-4 magnesium 1,200 mg/m 7439-96-5 magnese 1,800 mg/m 7440-02-0 nickel 99 mg/m² 7440-07-7 rubidium 260 mg/m³ 7440-21-3 silver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m 7440-38-2 strontium 2,000 mg/m 7440-38-2 arsenic 100 mg/m² 7440-41-7 Beryllium from Beryllium Acetate 0,1 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0,1 mg/m³ 7440-43-9 cadmium 4,7 mg/m³ 7440-43-3 chromium 99 mg/m³ 7440-44-3 chromium 99 mg/m³ 7440-45-0 copper 200 mg/m³ 7440-45-0 copper 200 mg/m³ 7440-50-8 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 35 mg/m³ 7440-66-2 vanadium 35 mg/m³ 7440-66-3 inc 120 mg/m³ 7440-66-4 inc 20 mg/m³ 7440			
7439-96-5 manganese 1,800 mg/m² 7440-02-0 nickel 99 mg/m² 7440-09-7 potassium 150 mg/m³ 7440-17-7 rubidium 260 mg/m³ 7440-23-4 silver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-24-0 strontium 2,000 mg/m³ 7440-28-0 thallium 20 mg/m² 7440-38-2 arsenic 100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-41-7 Beryllium from Cesium nitrate 370 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-44-0 cesium from Cesium nitrate 370 mg/m³ 7440-48-1 cobalt 20 mg/m³ 7440-48-2 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 35 mg/m² 7440-62-2 vanadium 35 mg/m² 7440-66-6 zinc 120 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-66-6 bismuth 990 mg/m³			
7440-02-0 nickel 99 mg/m³ 7440-09-7 potassium 150 mg/m³ 7440-17-7 rubidium 260 mg/m³ 7440-22-4 silver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m³ 7440-28-0 thallium 20 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-39-3 barium 1,100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-44-7 chromium 99 mg/m³ 7440-48-4 chromium 99 mg/m³ 7440-8-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-66-9 bismuth 990 mg/m³ 7440-76-6 indium 20 mg/m³ 740-69-9 seenium 40 mg/m³			
7440-09-7 potassium 150 mg/m³ 7440-17-7 rubidium 260 mg/m³ 7440-22-4 siver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m³ 7440-28-0 thallium 20 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-39-3 barium 1,100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0,1 mg/m³ 7440-43-9 cadmium 4,7 mg/m³ 7440-45-9 cadmium 4,7 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7440-74-0 indium 20 mg/m³			
7440-17-7 rubidium 260 mg/m³ 7440-22-4 silver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m³ 7440-28-0 thallium 20 mg/m³ 7440-39-3 barium 1,100 mg/m³ 7440-43-9 Beryllium from Beryllium Acetate 0,1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-43-9 chromium 99 mg/m³ 7440-45-2 Cesium from Cesium nitrate 370 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 cinc 120 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7440-74-6 indium 20 mg/m³			
7440-22-4 silver 990 mg/m³ 7440-23-5 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m³ 7440-28-0 tallium 20 mg/m³ 7440-33-2 arsenic 100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-43-9 codmium 4.7 mg/m³ 7440-43-9 chromium 99 mg/m³ 7440-43-9 chromium 99 mg/m³ 7440-45-1 copper 200 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 99 mg/m³ 7440-69-9 bismuth 99 mg/m³ 7440-74-6 indium 20 mg/m³ 7440-64-9 selenium 40 mg/m³			
7440-23-5 sodium 870 mg/m³ 7440-24-6 strontium 2,000 mg/m³ 7440-28-0 thallium 20 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-39-3 barium 1,100 mg/m³ 7440-47-7 Beryllium from Beryllium Acetate 0,1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-45-2 cisium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7440-69-9 selenium 40 mg/m³			
7440-24-6 strontium 2,000 mg/m³ 7440-28-0 thallium 20 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-39-3 barium 1,100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-45-2 Cesium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7440-74-6 indium 20 mg/m³ 7440-74-6 selenium 40 mg/m³			
7440-28-0 thallium 20 mg/m³ 7440-38-2 arsenic 100 mg/m³ 7440-39-3 barium 1,100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-46-2 Cesium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 35 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 782-49-2 selenium 40 mg/m³			
7440-38-2 arsenic 100 mg/m³ 7440-39-3 barium 1,100 mg/m³ 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-46-2 Cesium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7440-74-2 selenium 40 mg/m³			
7440-39-3 barium 1,100 mg/m 7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-46-2 Cesium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7482-49-2 selenium 40 mg/m³			
7440-41-7 Beryllium from Beryllium Acetate 0.1 mg/m³ 7440-43-9 cadmium 4.7 mg/m³ 7440-46-2 Cesium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-74-6 indium 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-43-9 cadmium 4.7 mg/m³ 7440-46-2 Cesium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-46-2 Cesium from Cesium nitrate 370 mg/m³ 7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			_
7440-47-3 chromium 99 mg/m³ 7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			_
7440-48-4 cobalt 20 mg/m³ 7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-74-6 indium 990 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-50-8 copper 200 mg/m³ 7440-55-3 gallium 2,000 mg/m³ 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-74-6 indium 990 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-55-3 gallium 2,000 mg/m 7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-61-1 Uranium from Uranyl Nitrate Hexahydrate 30 mg/m³ 7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			_
7440-62-2 vanadium 35 mg/m³ 7440-66-6 zinc 120 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-66-6 zinc 120 mg/m³ 7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-69-9 bismuth 990 mg/m³ 7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			
7440-74-6 indium 20 mg/m³ 7782-49-2 selenium 40 mg/m³			
7782-49-2 selenium 40 mg/m ³			_
			_
	7782-49-2		40 mg/m ³

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 2

(Contd. of page 4)

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: CharacteristicOdour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 6)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 2

(Contd. of page 5)

	(Contd. of page 5)
Boiling point/Boiling range:	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density at 20 °C (68 °F) Relative density Vapor density Evaporation rate 	1.02658 g/cm³ (8.56681 lbs/gal) Not applicable. Not applicable. Not applicable.
Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Water: VOC content:	95.0 % 0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textbf{Incompatible materials:} \ No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

l	· LD/LC50	values tl	hat are	relevant f	or cl	lassification:
---	-----------	-----------	---------	------------	-------	----------------

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- $\cdot \textbf{Sensitization:} \ No \ sensitizing \ effects \ known.$
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

· Carcinogenic categories

· IARC (In	· IARC (International Agency for Research on Cancer)		
7439-92-	l lead	2B	
7440-02-	nickel	2B	
7440-38-	2 arsenic	1	
7440-41	7 Beryllium from Beryllium Acetate	1	

(Contd. on page 7)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 2

	(Contd. of page 6)
7440-43-9 cadmium	
7440-47-3 chromium	3
7440-48-4 cobalt	2 <i>B</i>
7782-49-2 selenium	3
· NTP (National Toxicology Program)	
7439-92-1 lead	R
7440-02-0 nickel	R
7440-38-2 arsenic	K
7440-41-7 Beryllium from Beryllium Acetate	K
7440-43-9 cadmium	K
7440-48-4 cobalt	R
· OSHA-Ca (Occupational Safety & Health Administration)	
7440-38-2 arsenic	
7440-43-9 cadmium	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

•	UIV-IV	umbei	r
	DOT	ADD	73.

· DOT, ADR, IMDG, IATA

UN3264

· UN proper shipping name

 $\cdot DOT$

 $\cdot ADR$ · IMDG, IATA Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

· Transport hazard class(es)

 $\cdot DOT$



Class 8 Corrosive substances

(Contd. on page 8)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 2

(Contd. of page 7)

· Label 8



· ADR, IMDG, IATA

· Class 8 Corrosive substances · Label

· Packing group

· DOT, ADR, ÎMDG, IATA III

· Environmental hazards: Not applicable.

Warning: Corrosive substances · Special precautions for user

· Hazard identification number (Kemler code): · EMS Number: F-A,S-B

· Segregation groups (SGG1) Acids

· Stowage Category

· Stowage Code SW2 Clear of living quarters.

SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides · Segregation Code

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· IMDG

· Limited quantities (LQ) Code: E1 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID),

8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

	· Section 313 (Specific toxic chemical listings):	
7697-37-2	nitric acid	
7429-90-5	aluminium	
7439-92-1	lead	
7439-93-2		
7439-96-5	manganese	
7440-02-0	nickel	
7440-22-4	silver	
7440-28-0	thallium	
7440-38-2	arsenic	
7440-39-3	barium	
7440-41-7	Beryllium from Beryllium Acetate	
7440-43-9	cadmium	
7440-47-3	chromium	
7440-48-4	cobalt	

7440-50-8 copper

7440-62-2 vanadium

7440-66-6 zinc

7782-49-2 selenium

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Reviewed on 03/05/2024 Printing date 03/05/2024

Product Name: Multi-element Solution 2

(Contd. of page 8)

	(Contd. of page 8)
· Hazardou:	s Air Pollutants
7439-92-1	lead
7439-96-5	manganese
7440-48-4	cobalt
	-

· Proposition 65

· Chemicals	· Chemicals known to cause cancer:	
7439-92-1	lead	
7440-02-0	nickel	
7440-38-2	arsenic	
7440-41-7	Beryllium from Beryllium Acetate	
7440-43-9	cadmium	
7440-48-4	cobalt	

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

7440-43-9 cadmium

· Chemicals known to cause developmental toxicity:

7439-93-2	ııınıum
7440-43-9	cadmium

· Carcinogenic categories

· EPA (Envi	ronmental Protection Agency)	
7439-92-1		B2
7439-96-5	manganese	D
7440-22-4	silver	D
7440-38-2	arsenic	A
7440-39-3	barium	D, CBD(inh), NL(oral)
7440-41-7	Beryllium from Beryllium Acetate	B1, K/L(inh), CBD(oral)
7440-43-9	cadmium	B1
7440-50-8	copper	D
7440-66-6	zinc	D, I, II
7782-49-2	selenium	D

· TLV (Three	· TLV (Threshold Limit Value)		
7429-90-5	aluminium	A4	
7439-92-1		<i>A3</i>	
7440-02-0	nickel	A5	
7440-38-2	arsenic	A1	
7440-39-3		A4	
7440-43-9	cadmium	A2	
7440-48-4	cobalt	<i>A3</i>	
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	<i>A1</i>	

· NIOSH-Co	· NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-02-0	nickel	
7440-38-2	arsenic	
7440-43-9	cadmium	
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	

[·] GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 2

(Contd. of page 9)

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 03/05/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation - Category 1

us -



Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

· Product identifier

· Product Name: 10 µg/mL Mercury

· Part Number: CLHG2-1AY CLHG2-1AM

· Application of the substance / the mixture For Laboratory Use Only

· Uses advised against Not for Human or Animal Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

· Information department: product safety department

· Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3Fire = 0Reactivity = 0

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: 10 µg/mL Mercury

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Description. Mixiate of the substances tisted below with nominizardous additions.			
· Dangerous components:			
7697-37-2 nitric acid	5.0%		
· Chemical identification of the substance/preparation			
7732-18-5 water, distilled, conductivity or of similar purity	94.999%		
7439-97-6 mercury	0.001%		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- $\cdot \textit{Most important symptoms and effects, both acute and delayed} \ \textit{No further relevant information available}.$
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

 $See\ Section\ 7\ for\ information\ on\ safe\ handling.$

See Section 8 for information on personal protection equipment.

 $See \ Section \ 13 \ for \ disposal \ information.$

· Protective Action Criteria for Chemicals

· Trotective Action Cruertu jor Chemicus	
· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-97-6 mercury	0.15 mg/m³
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-97-6 mercury	1.7 mg/m³

(Contd. on page 3)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: 10 µg/mL Mercury

(Contd. of page 2)

	(00000	or page 2)
· PAC-3:		
7697-37-2	nitric acid	92 ppm
7439-97-6	mercury	8.9 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic

(Contd. on page 4)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: 10 µg/mL Mercury

(Contd. of page 3)

	(Contd. of page 3)
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F) · Relative density · Vapor density · Evaporation rate	1.02528 g/cm³ (8.55596 lbs/gal) Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water	er): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Water: VOC content:	95.0 % 0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot \textit{\textit{Possibility of hazardous reactions}} \ \textit{No dangerous reactions known}.$
- $\cdot \textit{Conditions to avoid No further relevant information available}.$
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive Irritant



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: 10 µg/mL Mercury

(Contd. of page 4)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer) 7439-97-6 mercury 3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- $\cdot \textbf{\textit{Recommendation:}} \ \textit{Must not be disposed of together with household garbage.} \ \textit{Do not allow product to reach sewage system.}$
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport informatioi	ı
--------------------------	---

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es)	

- $\cdot DOT$



· Class 8 Corrosive substances · Label

· ADR, IMDG, IATA



· Class 8 Corrosive substances · Label

· Packing group

· DOT, ADR, IMDG, IATA III

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: 10 µg/mL Mercury

· Environmental hazards: Not applicable. · Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): · EMS Number: F-A,S-B· Segregation groups (SGG1) Acids · Stowage Category SW2 Clear of living quarters. · Stowage Code · Segregation Code SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · IMDG · Limited quantities (LQ) 5L

Code: E1

8. III

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID),

15 Regulatory information

· Excepted quantities (EQ)

· UN "Model Regulation":

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

7697-37-2 nitric acid

7439-97-6 mercury

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

7439-97-6 mercury

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7439-97-6 mercury

D

· TLV (Threshold Limit Value)

7439-97-6 mercury

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: 10 µg/mL Mercury

(Contd. of page 6)

· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

Date of preparation / last revision 03/05/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B

Eye Damage 1: Serious eye damage/eye irritation - Category 1

US -

Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

- · Product identifier
- · Product Name: Multi-element Solution 3
- · Part Number: CLMS-3
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- $\cdot \textit{Manufacturer/Supplier:}$

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Damage 1

H318 Causes serious eye damage.



Skin Irritation 2

H315 Causes skin irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrochloric acid

nitric acid

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 3

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous o	components:	
7647-01-0 l	hydrochloric acid	10.0%
7697-37-2 1	nitric acid	1.0%
· Chemical id	lentification of the substance/preparation	
7732-18-5	water, distilled, conductivity or of similar purity	88.99%
7439-88-5	iridium	0.001%
7440-05-3	palladium	0.001%
7440-06-4	platinum	0.001%
7440-16-6	rhodium	0.001%
7440-18-8	ruthenium	0.001%
7440-31-5	tin	0.001%
7440-36-0	antimony	0.001%
7440-57-5	Gold	0.001%
7440-58-6	hafnium	0.001%
13494-80-9	tellurium	0.001%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- $\cdot \textbf{\textit{Suitable extinguishing agents:}} \ \textit{Use fire fighting measures that suit the environment.}$
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- $\cdot \textit{Environmental precautions:}$
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 3

(Contd. of page 2)

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	on Criteria for Chemicals	
· PAC-1:		
	drochloric acid	1.8 ppm
7697-37-2 nit		0.16 ppm
7439-88-5 irid		4.7 mg/m
7440-05-3 pa		6 mg/m ³
7440-06-4 pla	ıtinum	3 mg/m ³
7440-16-6 rhe	odium	3 mg/m^3
7440-18-8 rui		30 mg/m ³
7440-31-5 tin		6 mg/m ³
7440-36-0 an		1.5 mg/m
7440-57-5 Ga		0.46 mg/r
7440-58-6 haj		1.5 mg/m
13494-80-9 tel	lurium	1.8 mg/m
· PAC-2:		
7647-01-0 hy	drochloric acid	22 ppm
7697-37-2 nit	ric acid	24 ppm
7439-88-5 irid		51 mg/m
7440-05-3 pa	lladium	66 mg/m
7440-06-4 pla	ıtinum	33 mg/m
7440-16-6 rh	odium	33 mg/m
7440-18-8 rui	henium	330 mg/r
7440-31-5 tin		67 mg/m
7440-36-0 an		13 mg/m
7440-57-5 Ga		5.1 mg/n
7440-58-6 haj		17 mg/m
13494-80-9 tel	lurium	20 mg/m
· PAC-3:		·
7647-01-0 hy	drochloric acid	100 ppm
7697-37-2 nit	ric acid	92 ppm
7439-88-5 irid	dium	310 mg/m ³
7440-05-3 pa	lladium	400 mg/m ³
7440-06-4 pla	ıtinum	200 mg/m ³
7440-16-6 rhe	odium	200 mg/m ³
7440-18-8 rui	henium	2,000 mg/r
7440-31-5 tin		400 mg/m ³
7440-36-0 an	timony	80 mg/m³
7440-57-5 Ga		30 mg/m³
7440-58-6 haj		99 mg/m³
13494-80-9 tel	lurium	110 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 3

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

7647-01-0 hydrochloric acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm REL Ceiling limit value: 7 mg/m³, 5 ppm

TLV Ceiling limit value: 2 ppm

A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- $\cdot \textit{Eye protection:}$



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- $\cdot \ General\ Information$
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
 Odour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

100 °C (212 °F)

Flash point:

Not applicable.

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 5)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 3

(Contd. of page 4)

	(Conta. or page 4)
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density	Not applicable.
Relative density	Not applicable.
· Vapor density	Not applicable.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water): Not applicable.	
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	89.0 %
VOC content:	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin:

Caustic effect on skin and mucous membranes.

Irritant to skin and mucous membranes.

- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7647-01-0 hydrochloric acid	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

(Contd. on page 6)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 3

(Contd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

1	4	Trans	port :	info	rmatio	n

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid, Nitric acid)
$\cdot ADR$	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC
	ACID, NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC
	ACID, NITRIC ACID)
· Transport hazard class(es)	

 \cdot DOT



· Class· Label8 Corrosive substances8

· ADR, IMDG, IATA



· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Special precautions for user · Hazard identification number (Kemler code):	Warning: Corrosive substances 80
· Ĥazard identification number (Kemler code):	80
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B

(Contd. on page 7)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 3

(Contd. of page 6) SG36 Stow "separated from" SGG18-alkalis.

· Segregation Code SG49 Stow "separated from" SGG6-cyanides

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ) 1L

Code: E2 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(HYDROCHLORIC ACID, NITRIC ACID), 8, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Section 313 (Specific toxic chemical listings):

7647-01-0 hydrochloric acid

7697-37-2 nitric acid

7440-36-0 antimony

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

7647-01-0 hydrochloric acid

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

7647-01-0 hydrochloric acid

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

· Signal word Danger

· Hazard-determining components of labeling:

hydrochloric acid nitric acid

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 3

(Contd. of page 7)

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

P304 + P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor. P310 P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 03/05/2024

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3



Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

- · Product identifier
- · Product Name: Multi-element Solution 4
- · Part Number: CLMS-4
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H319 Causes serious eye irritation.
- · Precautionary statements

P264 Wash thoroughly after handling. P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2
Fire = 0
Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 4

(Contd. of page 1)

	(Contain of page 1)
· Dangerous components:	
7664-39-3 hydrofluoric acid	0.2%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	99.783%
7697-37-2 nitric acid	0.005%
7439-98-7 molybdenum	0.001%
7440-03-1 niobium	0.001%
7440-15-5 rhenium	0.001%
7440-21-3 silicon	0.001%
7440-25-7 tantalum	0.001%
7440-32-6 titanium	0.001%
7440-33-7 tungsten	0.001%
7440-42-8 Boron from Ammonium tetraborate tetrahydrate	0.001%
7440-56-4 germanium	0.001%
7440-67-7 zirconium	0.001%
7723-14-0 phosphorus	0.001%
7783-20-2 sulfur from ammonium sulphate	0.001%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:			
		1.0 ppm	
7697-37-2	nitric acid	0.16 ppm	
7439-98-7	molybdenum	30 mg/m³	
7440-03-1	niobium	30 mg/m³	
7440-21-3	silicon	45 mg/m ³	
7440-25-7	tantalum	10 mg/m³	
7440-32-6	titanium	30 mg/m³	
7440-33-7		10 mg/m³	
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	1.9 mg/m ³	
7440-56-4	germanium	3.2 mg/m ³	
7440-67-7	zirconium	10 mg/m³	
		$0.27 mg/m^3$	
7783-20-2	sulfur from ammonium sulphate	13 mg/m³	

(Contd. on page 3)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 4

(Contd. of page 2) · PAC-2: 7664-39-3 hydrofluoric acid 24 ppm 7697-37-2 nitric acid 24 ppm 7439-98-7 molybdenum 330 mg/m³ 7440-03-1 niobium 330 mg/m³ 7440-21-3 silicon 100 mg/m³ 7440-25-7 tantalum 11 mg/m³ 7440-32-6 titanium 330 mg/m³ 7440-33-7 tungsten $330 \, mg/m^3$ 7440-42-8 Boron from Ammonium tetraborate tetrahydrate 21 mg/m³ 7440-56-4 germanium 35 mg/m³ 7440-67-7 zirconium 83 mg/m³ 7723-14-0 phosphorus 3 mg/m³ 7783-20-2 sulfur from ammonium sulphate 140 mg/m³ PAC-3: 7664-39-3 hydrofluoric acid 44 ppm 7697-37-2 nitric acid 92 ppm 7439-98-7 molybdenum $2,000 \text{ mg/m}^3$ 7440-03-1 niobium $2,000 \text{ mg/m}^3$ 7440-21-3 silicon 630 mg/m^3 7440-25-7 tantalum 64 mg/m^3 7440-32-6 titanium $2,000 \text{ mg/m}^3$ 7440-33-7 tungsten $2,000 \text{ mg/m}^3$ 130 mg/m³ 7440-42-8 Boron from Ammonium tetraborate tetrahydrate 7440-56-4 germanium 170 mg/m³ 7440-67-7 zirconium 500 mg/m³ 7723-14-0 phosphorus 18 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

7783-20-2 sulfur from ammonium sulphate

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

7664-39-3 hydrofluoric acid

PEL Long-term value: 1* mg/m³, 3 ppm

as F, *sulfuric acid

REL Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm

*15-min, as F

TLV Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI

(Contd. on page 4)

840 mg/m³

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 4

(Contd. of page 3)

· Ingredients with biological limit values:

7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine
Medium: urine
Time: prior to shift

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

 $\cdot \textit{Respiratory protection:} \ Not \ required.$

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
 Odour Threshold: Not applicable.
 pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 100 °C (212 °F)

Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not applicable.
 Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not applicable.Upper:Not applicable.

(Contd. on page 5)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 4

(Contd. of page 4)

	(Conta. or page 4
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density	Not applicable.
Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	99.8 %
VOC content:	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7664-39-3 hydrofluoric acid

Oral LD50 1,276 mg/kg (rat)

- · Primary irritant effect:
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- $\cdot \textbf{\textit{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- $\cdot \textit{Persistence and degradability} \ \textit{No further relevant information available}.$
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot \textit{\textbf{Mobility in soil No further relevant information available}.$
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 4

(Contd. of page 5)

 $\cdot \textit{Other adverse effects} \ \textit{No further relevant information available}.$

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

	UN-Number
--	-----------

· DOT, ADR, IMDG, IATA

Not Regulated

· UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA

Not Regulated

· Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class

Not Regulated

· Packing group

· DOT, ADR, IMDG, IATA

Not Regulated

· Environmental hazards:

Not applicable.

· Special precautions for user

Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

Not Regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Sara

 Section 313 	(Specific	toxic	chemical	listings):
---------------------------------	-----------	-------	----------	------------

7664-39-3 hydrofluoric acid

7697-37-2 nitric acid

7723-14-0 phosphorus

7783-20-2 sulfur from ammonium sulphate

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

7664-39-3 hydrofluoric acid

7723-14-0 phosphorus

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7440-42-8 Boron from Ammonium tetraborate tetrahydrate

I (oral)

· TLV (Threshold Limit Value)

7439-98-7 molybdenum

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Multi-element Solution 4

(Contd. of page 6)

· Hazard pictograms



· Signal word Warning

· Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling. P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337+P313

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 03/05/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

us -

Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

- · Product identifier
- · Product Name: Nitric Acid Blank
- · Part Number: CLBLK-HNO3

CLBLK-HNO3M

- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling. P264 P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 0Reactivity = 0



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Nitric Acid Blank

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 nitric acid	2.0%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	98.0%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· Protective Action Criteria for Chemicals	
• PAC-1:	
7697-37-2 nitric acid	0.16 ppm
· PAC-2:	
7697-37-2 nitric acid	24 ppm
· PAC-3:	
7697-37-2 nitric acid	92 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 3)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Nitric Acid Blank

(Contd. of page 2)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basis abusing and about all anone	
· Information on basic physical and chemical proper	ies

· General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic· Odour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 100 °C (212 °F)

Flash point: Not applicable.
 Flammability (solid, gaseous): Not applicable.

• Decomposition temperature: Not applicable.

• Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not applicable.
Upper: Not applicable.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

• Density at 20 °C (68 °F) 1.01006 g/cm³ (8.42895 lbs/gal)

(Contd. on page 4)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Nitric Acid Blank

		(Contd. of page 3)
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octano	l/water): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	98.0 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 ve	alues that	are releva	nt for c	lassification:
--------------	------------	------------	----------	----------------

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- \cdot on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- $\cdot \textit{Additional ecological information:}$
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Nitric Acid Blank

(Contd. of page 4)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

7 4	777			c	
14	Trans	nort	m_1	torma	tion
	I I WILL	poit	UIU)	Ulliva	

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
 · UN proper shipping name · DOT · ADR · IMDG, IATA 	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

- · Transport hazard class(es)
- $\cdot DOT$



8 Corrosive substances · Class · Label

· ADR, IMDG, IATA



· Class 8 Corrosive substances · Label

· Packing group

· DOT, ADR, IMDG, IATA III

· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number:	F- A , S - B
· Segregation groups	(SGG1) Acids

· Stowage Category

· Stowage Code

SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides · Segregation Code

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$

Code: E1 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· IMDG

 \cdot Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID),

· UN "Model Regulation":

(Contd. on page 6)

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Nitric Acid Blank

(Contd. of page 5)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention. P337+P313

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 03/05/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. of page 6)



Safety Data Sheet acc. to OSHA HCS

Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Nitric Acid Blank

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
VPBT: very Persistent and very Bioaccumulative

PBT: Persistent, Bioaccumulative and Toxic

PVpB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

us —



Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

- · Product identifier
- · Product Name: Hydrochloric Acid Blank
- · Part Number: CLBLK-HCL
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *0Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
7647 01 0	lear du a alal auri a

7647-01-0 hydrochloric acid

Chemical identification of the substance/preparation

7732-18-5 water, distilled, conductivity or of similar purity

98.0%

2.0%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 2)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Hydrochloric Acid Blank

(Contd. of page 1)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
7647-01-0 hydrochloric acid	1.8 ppm
· PAC-2:	
7647-01-0 hydrochloric acid	22 ppm
· PAC-3:	
7647-01-0 hydrochloric acid	100 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

Follow good laboratory practices.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Con	· Control parameters		
· Components with limit values that require monitoring at the workplace:			
764	7647-01-0 hydrochloric acid		
PEL	Ceiling limit value: 7 mg/m³, 5 ppm		
REL	Ceiling limit value: 7 mg/m³, 5 ppm		
TLV	Ceiling limit value: 2 ppm		
	A4		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Hydrochloric Acid Blank

(Contd. of page 2)

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

71 hysical and chemical properties			
· Information on basic physical and chemical properties · General Information · Appearance:			
Form:	Liquid		
Color:	According to product specification		
· Odor:	Characteristic		
· Odour Threshold:	Not applicable.		
· pH-value:	Not applicable.		
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
· Decomposition temperature:	Not applicable.		
· Ignition temperature:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not applicable.		
Upper:	Not applicable.		
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)		
· Density at 20 °C (68 °F)	1.003 g/cm³ (8.37004 lbs/gal)		
· Relative density	Not applicable.		
· Vapor density	Not applicable.		
· Evaporation rate	Not applicable.		
· Solubility in / Miscibility with			
Water:	Fully miscible.		
· Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:			
Dynamic:	Not applicable.		
Kinematic:	Not applicable.		
· Solvent content:			
Water:	98.0 %		
VOC content:	0.00 %		
Solids content:	0.0 %		

10 Stability and reactivity

· Other information

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 4)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Hydrochloric Acid Blank

(Contd. of page 3)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

 · IARC (International Agency for Research on Cancer)

 7647-01-0 | hydrochloric acid
 3

 · NTP (National Toxicology Program)

 None of the ingredients is listed.

 · OSHA-Ca (Occupational Safety & Health Administration)

 None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 3	313 (Ѕресіліс	toxic	спетісаі	usungs):	

7647-01-0 hydrochloric acid

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

7647-01-0 hydrochloric acid



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Hydrochloric Acid Blank

(Contd. of page 4)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

7647-01-0 hydrochloric acid

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- Signal word Not Regulated
- · Hazard statements Not Regulated
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

Spex CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/05/2024
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Printing date 03/05/2024 Reviewed on 03/05/2024

1 Identification

- · Product identifier
- · Product Name: Water Blank ASTM Type I Water, 18 Megohm
- · Part Number:

CLBLK-H2O

CLBK-H2O-250

· CAS Number:

7732-18-5

· EC number:

231-791-2

- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

Ouiside 03. 703-327-3007

2 Hazard(s) identification

- · Classification of the substance or mixture The substance is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

 \cdot HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7732-18-5 water, distilled, conductivity or of similar purity

- · Identification number(s)
- · EC number: 231-791-2

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Water Blank - ASTM Type I Water, 18 Megohm

(Contd. of page 1)

- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

Follow good laboratory practices.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

${\it 8 Exposure controls/personal protection}$

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- $\cdot \textit{Exposure controls}$
- · Personal protective equipment:
- · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Water Blank - ASTM Type I Water, 18 Megohm

(Contd. of page 2)

 $\cdot \textit{Eye protection: } \textit{Goggles recommended during refilling.}$

9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Colorless Odor: Odorless Odorless Not applicable.		
· General Information · Appearance: Form: Liquid Color: Colorless · Odor: Odorless		
Form: Liquid Color: Colorless • Odor: Odorless		
Color: Colorless • Odor: Odorless		
· Odor: Odorless		
. Odour Threshold: Not applicable		
Out I III eshou. Not applicable.		
· pH-value: Not applicable.		
· Change in condition		
Melting point/Melting range: $0 ^{\circ}C (32 ^{\circ}F)$		
Boiling point/Boiling range: 100 °C (212 °F)		
· Flash point: Not applicable.		
· Flammability (solid, gaseous): Not applicable.		
· Decomposition temperature: Not applicable.		
· Ignition temperature: Not determined.		
• Danger of explosion: Product does not present an explosion hazard.		
· Explosion limits:		
Lower: Not applicable.		
Upper: Not applicable.		
· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)		
• Density at 20 °C (68 °F) 1 g/cm³ (8.345 lbs/gal)		
Relative density Not applicable.		
· Vapor density Not applicable.		
· Evaporation rate Not applicable.		
· Solubility in / Miscibility with		
Water: Fully miscible.		
· Partition coefficient (n-octanol/water): Not applicable.		
· Viscosity:		
Dynamic at 20 °C (68 °F): 0.952 mPas		
Kinematic: Not applicable.		
Water: 100.0 %		
VOC content: 0.00 %		
Solids content: 0.0 %		
· Other information No further relevant information available.		

10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- $\cdot \textit{Hazardous decomposition products:} \ \textit{No dangerous decomposition products known.}$

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Water Blank - ASTM Type I Water, 18 Megohm

(Contd. of page 3)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
Packing group DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

(Contd. on page 5)



Printing date 03/05/2024 Reviewed on 03/05/2024

Product Name: Water Blank - ASTM Type I Water, 18 Megohm

(Contd. of page 4)

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- Signal word Not Regulated
- · Hazard statements Not Regulated
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

Spex CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/05/2024
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

us -