

Printing date 07/15/2024

Reviewed on 07/15/2024

# 1 Identification

- · Product identifier
- · Product Name: <u>10,000 µg/mL Lead</u>
- · Part Number:
- PLPB2-3Y
- PLPB2-3X
- Application of the substance / the mixture For Laboratory Use Only
- Uses advised against Not for Human or Animal Use
- $\cdot$  Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com
- Information department: product safety department Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carcinogenicity IBH350 May cause cancer.Toxic to Reproduction IAH360 May damage fertility or the unborn child.Specific Target Organ Toxicity - Repeated Exposure 2H373 May cause damage to organs through prolonged or repeated exposure.



Skin Corrosion 1B Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

# · Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- lead monoxide
- · Hazard statements
- H314 Causes severe skin burns and eye damage. H350 May cause cancer.
- H360 May damage fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

• Precautionary statements

- *P201 Obtain special instructions before use.*
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P308+P313 IF exposed or concerned: Get medical advice/attention.

Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/15/2024

Printing date 07/15/2024

# Product Name: 10,000 µg/mL Lead

(Contd. of page 1)

P321Specific treatment (see on this label).P314Get medical advice/attention if you feel unwell.P363Wash contaminated clothing before reuse.P405Store locked up.P501Dispose of contents/container in accordance with local/regional/national/international regulations.• Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

# 3 Composition/information on ingredients

## · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7697-37-2 nitric acid	5.0%	
1317-36-8 lead monoxide	1.1%	
· Chemical identification of the substance/preparation		
7732-18-5 water, distilled, conductivity or of similar purity	93.9%	

# 4 First-aid measures

## · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions: Dilute with plenty of water.*
- Ditute with pienty of water.
- Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Printing date 07/15/2024

# Product Name: 10,000 µg/mL Lead

Reviewed on 07/15/2024

Product Name: 10,000 µg/mL Leda	
	(Contd. of page 2)
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	

· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
1317-36-8 lead monoxide	0.16 mg/m <sup>3</sup>
· PAC-2:	
7697-37-2 nitric acid	24 ppm
1317-36-8 lead monoxide	130 mg/m <sup>3</sup>
· PAC-3:	
7697-37-2 nitric acid	92 ppm
1317-36-8 lead monoxide	750 mg/m <sup>3</sup>

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

## · Control parameters

- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
- At this time, the remaining constituent has no known exposure limits.

1317	-36-8 lead monoxide		
	Long-term value: 0.05 mg/m <sup>3</sup> as Pb; See 29 CFR 1910.1025		
	Long-term value: 0.05* mg/m <sup>3</sup> as Pb;*8-hr TWA; See Pocket Guide App. C		
	Long-term value: 0.05 mg/m <sup>3</sup> as Pb; A3, BEI		
· Ingredients with biological limit values:			
1317	1317-36-8 lead monoxide		
DEL			
BEI	200 μg/100 ml		
	200 μg/100 ml Medium: blood		
	Medium: blood		

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Printing date 07/15/2024

# Product Name: 10,000 µg/mL Lead

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	the state of the s
Form:	Liquid
Color: • Odor:	According to product specification Characteristic
• Odour Threshold:	
	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
• Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
• Density at 20 °C (68 °F)	1.11898 g/cm³ (9.33789 lbs/gal)
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	93.9 %
VOC content:	0.00 %
Solids content:	1.1 %
· Other information	No further relevant information available.
	(Contd. on page 5)

Reviewed on 07/15/2024

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

# Product Name: 10,000 µg/mL Lead

(Contd. of page 4)

Page 5/8

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

- 7697-37-2 nitric acid
- Inhalative LC50/4 h 2.65 mg/l (ATE)

### · Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

 $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
1317-36-8 lead monoxide	2A
· NTP (National Toxicology Program)	
1317-36-8 lead monoxide	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

- US -

Page 6/8

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 5)

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
<ul> <li>UN proper shipping name</li> <li>DOT</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es)	
· DOT	8 Corrosive substances
	8
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	111
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Segregation groups</li> <li>Stowage Category</li> <li>Stowage Code</li> <li>Segregation Code</li> </ul>	Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	le Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara · Section 313 (Specific toxic chemical listings): 7697-37-2 nitric acid 1317-36-8 lead monoxide · TSCA (Toxic Substances Control Act): All components have the value ACTIVE. (Contd. on page 7)

# Product Name: 10,000 µg/mL Lead

Reviewed on 07/15/2024

(Co	ntd. of page 6)
· Hazardous Air Pollutants	
1317-36-8 lead monoxide	
Proposition 65	
· Chemicals known to cause cancer:	
1317-36-8 lead monoxide	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	

Safety Data Sheet acc. to OSHA HCS

	<i>a</i> ·	•		•
•	Carcino	genic	cate	egories

· EPA (Environmental Protection Agency)	
1317-36-8 lead monoxide	B2
· TLV (Threshold Limit Value)	
1317-36-8 lead monoxide	A3
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

## · Hazard pictograms



## · Signal word Danger

· Hazard-determining components of labeling:

nitric acid

lead monoxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

## Precautionary statements

- P201 Obtain special instructions before use.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

*P304+P340* IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- *P314 Get medical advice/attention if you feel unwell.*
- P363Wash contaminated clothing before reuse.P405Store locked up.
- P405
   Store locked up.

   P501
   Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

# · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

Safety Data Sheet acc. to OSHA HCS

Printing date 07/15/2024

# Product Name: 10,000 µg/mL Lead

	(Contd. of page 7)
· Contact:	
Spex CertiPrep, LLC.	
1-732-549-7144	
• Date of preparation / last revision 07/15/2024	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Carcinogenicity 1B: Carcinogenicity – Category 1B	
Toxic to Reproduction IA: Reproductive toxicity – Category IA	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
	US



Reviewed on 07/15/2024

(Contd. of page 7)