Page 1/8

1 Identification

- · Product identifier
- · Product Name: Chloromethyl methyl ether
- · Part Number: S-877
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 SPEX CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carc. 1A H350 May cause cancer. STOT SE 1 H370 Causes damage to organs.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: methanol chloromethyl methyl ether
Hazard statements H225 Highly flammable liquid and vapor. H331 Toxic if inhaled. H350 May cause cancer. H370 Causes damage to organs.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Reviewed on 02/18/2019

Safety Data Sheet acc. to OSHA HCS

Printing date 02/18/2019

Product Name: Chloromethyl methyl ether

	(Contd. of page 1)
· Classification system: · NFPA ratings (scale 0 - 4)	
$\frac{3}{100} \begin{array}{c} \text{Health} = 1 \\ \text{Fire} = 3 \\ \text{Reactivity} = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH1FIRE3Fire = 3REACTIVITY 0	
• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	
• vPvB: Not applicable.	

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous components:67-56-1methanol107-30-2chloromethyl methyl ether0.1%

4 First-aid measures

· Description of first aid measures

• General information:

- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.
- · After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. • Reference to other sections
- See Section 7 for information on safe handling.

(Contd. on page 3)

Reviewed on 02/18/2019

Product Name: Chloromethyl methyl ether

See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals	(Contd. of page 2)
• PAC-1:	
67-56-1 methanol	530 ppm
107-30-2 chloromethyl methyl ether	0.043 ppm
• PAC-2:	
67-56-1 methanol	2,100 ppm
107-30-2 chloromethyl methyl ether	0.47 ppm
• PAC-3:	
67-56-1 methanol	7200* ppm
107-30-2 chloromethyl methyl ether	2.0 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

	rol parameters
· Com	ponents with limit values that require monitoring at the workplace:
67-5	6-1 methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
107	30-2 chloromethyl methyl ether
PEL	see 29 CFR 1910.1003
REL	See Pocket Guide App. A
TLV	L
·Ingr	edients with biological limit values:
67-5	6-1 methanol
	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
• Addi	tional information: The lists that were valid during the creation were used as basis.
	(Contd. on page A

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/18/2019

Product Name: Chloromethyl methyl ether

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work. Store protective clothing separately.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- \cdot Eye protection:



Tightly sealed goggles

Information on basic physical and c General Information	hemical properties	
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	64.7 °C (148.5 °F)	
Flash point:	$< 23 \ ^{\circ}C \ (< 73.4 \ ^{\circ}F)$	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
Decomposition temperature:	Not applicable.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F)	0.79028 g/cm ³ (6.59489 lbs/gal)	
Relative density	Not applicable.	
Vapor density	Not applicable.	
• Evaporation rate	Not applicable.	

(Contd. of page 3)

Reviewed on 02/18/2019

Reviewed on 02/18/2019

Printing date 02/18/2019

Product Name: Chloromethyl methyl ether

		(Contd. of page 4)
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not applicable.		
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.90 %	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-56-1 methanol

Oral LD50 5,628 mg/kg (rat)

Dermal LD50 15,800 mg/kg (rabbit)

- · Primary irritant effect:
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
107-30-2 chloromethyl methyl ether	1
· NTP (National Toxicology Program)	
107-30-2 chloromethyl methyl ether	K
• OSHA-Ca (Occupational Safety & Health Administration)	
107-30-2 chloromethyl methyl ether	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 02/18/2019

Product Name: Chloromethyl methyl ether

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1230
· UN proper shipping name · DOT · ADR · IMDG, IATA	Methanol 1230 METHANOL METHANOL
 Transport hazard class(es) DOT 	
· Class · Label	3 Flammable liquids 3, 6.1
· Label · ADR	5, 0.1
· Class · Label	3 Flammable liquids 3+6.1
· IMDG	
· Class · Label	3 Flammable liquids 3/6.1
· Class · Label	3 Flammable liquids 3 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	11
· Environmental hazards:	Not applicable.
 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category 	Warning: Flammable liquids 336 F-E,S-D B
· Stowage Code	SW2 Clear of living quarters.
	(Contd. on page 7

Reviewed on 02/18/2019

US

Safety Data Sheet acc. to OSHA HCS

Printing date 02/18/2019

Product Name: Chloromethyl methyl ether

Reviewed on 02/18/2019

	(Contd. of page
· Transport in bulk according to Annex II of MARPO	DL73/78 and the IBC
Code	Not applicable.
· Transport/Additional information:	
·ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	IL
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	
· Sara	
· Section 313 (Specific toxic chemical listings):	
All ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
107-30-2 chloromethyl methyl ether	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
107-30-2 chloromethyl methyl ether	Α
· TLV (Threshold Limit Value established by ACGIH)	
107-30-2 chloromethyl methyl ether	A2
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
107-30-2 chloromethyl methyl ether	

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: methanol
- chloromethyl methyl ether • Hazard statements
- H225 Highly flammable liquid and vapor. H331 Toxic if inhaled. H350 May cause cancer. H370 Causes damage to organs.
- · Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 8)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 02/18/2019

Product Name: Chloromethyl methyl ether

(Contd. of page 7)

Reviewed on 02/18/2019

Do not breathe dust/fume/gas/mist/vapors/spray.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- *SPEX CertiPrep, LLC. 1-732-549-7144*
- · Date of preparation / last revision 02/18/2019 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Carc. 1A: Carcinogenicity – Category 1A STOT SE 1: Specific target organ toxicity (single exposure) – Category 1